








OUTWELL® INFLATABLE CARAVAN AWNINGS

Innovation and subtle style combine in the all-new Outwell® inflatable caravan awnings to bring fresh roomy designs inspired by aspects of the Nordic seascape that has so much influence on the award-winning brand's Danish heritage. Two collections comprise four models that offer a total of 11 sizes to suit all needs and feature the stunning looks combined with smart practical detail that defines Scandinavian style to complement every caravan and enhance the outdoor experience.








OUTWELL® DRIVE AWAY AWNINGS

Outwell aims to provide the much-needed extra living space needed to ensure comfort on longer breaks through its 2018 drive-away awnings and Touring Canopies. Scandinavian function and style is brought to the market through eight air and eight pole drive-away awnings that are already recognised for their superlative quality and chic looks that stand out from the crowd. And their evolution ensures choice of designs, features and ease of use meet the needs of the modern four-wheeled adventurer, with an additional three sizes of Touring Canopy and a selection of options to enhance versatility and the outdoor experience.






EXCEEDING AWNING EXPECTATIONS

SPECIAL FEATURES FOR THE NORDIC SHORE AND NORDIC COAST COLLECTIONS






Window

Our Pole-free Seal System provides

effective connection to the caravan.

POLE-FREE SEAL SYSTEM

Our Pole-free Seal System easily and quickly provides a tight connection between the awning and the caravan without resorting to poles that can damage a caravan wall. An integral padded beam is held gainst the caravan wall by an adustable tape. This ends in a triangular fabric extension that allows the use of two pegs to enhance security in bad weather. Once erected and fine-tuned, the whole assembly is hidden from sight using an attached cover that blends into the awning wall. Optional EVA foam discs can be used betwen the tape and beam to ensure the seal around projections, like windows.




HEIGHT ADJUSTMENT SYSTEM

To overcome the problem of levelling an inflatable awning on an uneven pitch, we have developed the Height Adjustment System. Up to four optional EVA foam discs can be inserted into a pocket located at the end of each tube to compensate for ground fall and work with the Pole-free Seal System to hold the awning firmly against the caravan.







360° CURTAINS*

From fully closed to fully open and removed, the front curtain zips provide a wide choice of positions to suit personal preference, balancing light in with views out and privacy. Half open, the curtains create an attractive and practical veranda effect that enhances the awning's overall design.



*Not for Pebble Awnings

EXPLAINING THE AWNING ICONS

Each year we deliver groundbreaking innovations for the benefit of discerning campers, caravanners and motorhome owners. It's an excellent record and we're proud of the rigorous way in which our designers approach each challenge to bring a huge amount of original style and practical detail to the market. Each awning is a careful blend of imagination, inspiration, style, technical innovation, features, fabrics and components. Each has a big story behind the headline and that story is best delivered in a visual way, enabling fast overviews and clear cross-comparisons. We use icons to quickly provide clear, no-fuss identification that is easily communicated in store and online. These simple, effective symbols sum up complex product solutions.

NORDIC SHORE



OUTTEX® 6000 HD

A special process creates our ultraruaaed Hiah Density weave for superior performance and looks.



TAPED SEAMS Extra protection

across all seams, the tape ensures no chance of any water ingress



ADVANCED AIR TUBE SYSTEM

Inter-connected air tube frame with one inflation valve, featuring isolation valves, and one full horizontal tube along the roof.



INFLATION

Super fast inflation valve through the



via a single air inlet inter-connected air



OUTTEX® 3000 HD

NORDIC COAST

A special process creates our ultrarugged High Density weave for superior performance and looks



TAPED SEAMS

Extra protection across all seams, the tape ensures no chance of any water ingress.



TWINNED POLES

- STEEL/AIR A mix of air tubes and steel poles for a sturdy and flexible tent structure.



RIGID AIR SYSTEM

Features individual tubes that are inflated and deflated separately via easy access external valves.



Continental Carpet

OPTIONAL EXTRAS

- Fleece Carpet
- Inlayzzz



TINTED WINDOWS

Windows with a tinted coating that protects against the sun's glare and provides privacy while maintaining great views out.



REMOVABLE FRONT AND SIDES

Opens occupants to the full outdoor experience while providing overhead cover.



REFLECTIVE WEBBINGS

Creates secure anchoring while minimising trip hazard.



POLE-FREE SEAL SYSTEM

Pole-less design creates a tight seal between awning and caravan that reduces risk of damage.



TINTED WINDOWS

Windows with a tinted coating that protects against the sun's glare and provides privacy while maintaining great views out.



REMOVABLE FRONT AND SIDES

Opens occupants cover.



to the full outdoor experience while providing overhead



REFLECTIVE WEBBINGS

Creates secure anchoring while minimising trip hazard.



SEAL SYSTEM

Pole-less design creates a tight seal between awning and caravan that reduces risk of damage.



HEIGHT ADJUSTMENT DISCS AND SEALING BLOCKS



HEIGTH ADJUSTMENT SYSTEM

Spacer discs inserted into the tube pocket compensates for uneven ground for level erection



CURTAINS 360° Versatile zip

configuration allows flexible use of curtains for optimum effect.



CARRYBAG Bag with straps for carrying the packed tent short distances.

PUMP INCLUDED

Supplied with all our Air Tube technology tents, our easy to attach, highly efficient manual one-way high capacity air pump makes short work of inflating our inflable tents.



HEIGTH ADJUSTMENT

SYSTEM Spacer discs inserted into the tube pocket compensates for uneven ground for level erection.



CARRYBAG

Bag with straps for carrying the packed tent short distances.



PUMP INCLUDED

Supplied with all our Air Tube technology tents, our easy to attach, highly efficient manual one-way high capacity air pump makes short work of inflating our inflable tents.



ROOF LINING

Easy to attach, essential for out of season camping















AMBER RANGE

The Outwell Amber caravan awning range delivers cool style that is quick and easy to pitch for secure attachment with Outwell Smart Air inflation of preshaped air tubes complementing the appeal and weather-beating performance of our embossed Outtex® 6000 HD fabric. A distinctive deep front canopy offers extra shade and shelter to its generous three metre depth with panel, door, curtain and mesh opening options for flexible interaction with the outdoors.

SPECIFICATIONS

Attachment height: 240 - 255 cm

Bead thickness: 7 mm

Tubes: Advanced Air Tube System **Poles:** Steel poles 19/22 mm


OPTIONAL EXTRAS


Fleece Carpet Continental Carpet Footprint Roof Lining




Curtain pattern: Seaweed


AMBER 300SA





AMBER 350SA





Model	Total roof connection length	Min. roof connection length	Weight	Pack size
Amber 300SA	360 cm	220 cm	37 kg	45 x 90 cm
Amber 350SA	410 cm	270 cm	39 kg	48 x 90 cm















TIDE RANGE

The Outwell Tide caravan awning range delivers cool style that is quick and easy to pitch for secure attachment. Outwell Smart Air inflation of pre-shaped air tubes complements the appeal and weather-beating performance of our grey and embossed blue Outtex® 6000 HD. Its generous three meter depth with panel, door, curtain and mesh opening options offers flexible interaction with the outdoors whilst the Side Rain Shield side entrance is welcome in wet weather.

SPECIFICATIONS

Attachment height: 240 - 255 cm

Bead thickness: 7 mm


Tubes: Advanced Air Tube System


OPTIONAL EXTRAS


Fleece Carpet Continental Carpet Footprint Roof Lining Partition Wall R Partition Wall L





Curtain pattern: Seaweed

































Model	Total roof connection length	Min. roof connection length	Weight	Pack size
Tide 320SA	380 cm	240 cm	27.5 kg	45 x 90 cm
Tide 380SA	440 cm	300 cm	29 kg	45 x 90 cm
Tide 440SA	500 cm	360 cm	32.5 kg	50 x 100 cm
Tide 500SA	560 cm	420 cm	34 kg	50 x 100 cm















RIPPLE RANGE

Innovation and bright style combine in the brand new Ripple Awning range that uses fuss-free Smart Air inflatable technology and offers a 2.5 m metre depth of versatile extra living space. This range appeals to discerning caravanners looking for a slightly smaller awning yet appreciate ease of use and superlative materials, like our Outtex® 6000 HD embossed Taslon fabric, and features like the innovative Pole-free Seal System that provides a tight, safe connection to the caravan.

SPECIFICATIONS

Attachment height: 240 - 255 cm

Bead thickness: 7 mm

Tubes: Advanced Air Tube System


OPTIONAL EXTRAS


Fleece Carpet Continental Carpet Footprint Roof Lining




Curtain pattern: Seaweed


RIPPLE 320SA









RIPPLE 380SA







Model	Total roof connection length	Min. roof connection length	Weight	Pack size
Ripple 320SA	380 cm	240 cm	26 kg	43 x 90 cm
Ripple 380SA	440 cm	300 cm	27.5 kg	43 x 90 cm


















PEBBLE RANGE

Quick and easy to pitch with Outwell Rigid Air System of pre-shaped air tubes complementing the cool appeal and weather-beating performance of our embossed grey Outtex® 3000 HD fabric, the smart Pebble caravan awnings offer secure attachment of versatile extra space with panel, door and mesh opening options plus Side Rain Shield entrance.

SPECIFICATIONS

Attachment height: 240 - 255 cm

Bead thickness: 7 mm **Tubes:** Rigid Air System

OPTIONAL EXTRAS


Fleece Carpet Continental Carpet Footprint Roof Lining Mesh side panels




Curtain pattern: Sand ripple


PEBBLE 300A










PEBBLE 360A









PEBBLE 420A







Model	Total roof connection length	Min. roof connection length	Weight	Pack size
Pebble 300A	360 cm	240 cm	23.5 kg	40 x 80 cm
Pebble 360A	420 cm	300 cm	25 kg	42 x 80 cm
Pebble 420A	480 cm	360 cm	28.5 kg	45 x 80 cm




NEED MORE SPACE?

EXTRA OPTIONS FOR THE CARAVAN AWNINGS

A caravan awning provides much needed extra living space but on the rare occasions this isn't enough then Outwell® has the answer. If friends and family staying over proves too much for your caravan's facilities or you're looking for additional outside storage away from the public's gaze, then an optional, versatile Outwell zip-in inflatable annexe is the perfect solution.

These comprise two versions. The Annexe Sleep provides extra bedroom space that sleeps up to four adults in roomy comfort with standing headroom and superb ventilation. The Annexe also offers handy storage – especially for larger items, like bikes. The Annex Air creates a deep, enclosed side porch entrance perfect for wet gear or for extra living space lit by the large tinted windows.

Outwell Sailshade M and L provide simpler options for those who want to add a shady outdoor space for play and relaxation. These attach to an Outwell awning via buckles, reflective web tapes and two telescopic King Poles, or directly to a caravan or motorhome using the beaded edge.



Nordic Shore

NORDIC SHORE AMBER ANNEXE SLEEP / TIDE ANNEXE SLEEP / RIPPLE ANNEXE SLEEP

Flysheet: Outtex® 6000 HD (300D 176T 100% polyester) with taped seams Inner tent: Breathable 100% Polyester

Poles: Steel pole 19 mm





NORDIC COAST ANNEXE SLEEP

Flysheet: Outtex® 3000 HD (300D 132T 100% polyester) with taped seams

Inner tent: Breathable 100% Polyester

Tubes: Steel pole 19 mm





SAILSHADE M & L


M-size fitting: Tide 320SA, Pebble 300A, Pebble 360A, Ripple 320SA **L-size fitting:** Tide 380SA, Tide 440SA, Pebble 420A, Ripple 380SA

Bead thickness: 7 mm

Roof connection length: 220 cm (M) / 300 cm (L)

Flysheet: Outtex® 4000 (150D 100% polyester taffeta) with taped seams

Poles: Steel pole 16/19 mm



Model	Size (W x D x H)	Weight	Pack size
Nordic Shore Amber Annexe Air / Tide Annexe Air	270 x 150 x 180 cm	9 kg	28 x 70 cm
Nordic Shore Ripple Annexe Air	220 x 150 x 170 cm	8.8 kg	25 x 70 cm
Nordic Shore Amber Annexe Sleep / Tide Annexe Sleep	270 x 210 x 180 cm	10.5 kg	28 x 70 cm
Nordic Shore Ripple Annexe Sleep	220 x 210 x 180 cm	10.2 kg	25 x 70 cm
Nordic Coast Annexe Sleep	See illustration	10.8 kg	30 x 70 cm
Sailshade M & L	See illustration	M: 3 kg / L: 3.5 kg	M: 15 x 50 cm / L: 16 x 50 cm





DRAUGHT SKIRT WITH STORAGE FOR CARVAN AWNINGS

The Outwell draught-skirt with mesh storage is a handy two-in-one essential that helps keep your awning tidy and cold air out. When opened the mesh storage also works as a nice ventilation. Easy to attach, it's a perfect choice for every trip.

VERANDA POLE FOR AWNINGS 2.5 M OR 3 M

Veranda Poles are a quick and handy way to add extra ventilation to your awning. Simply attach them half way down the front of your awning. Then unzip the top section of the window to let in air while retaining privacy.

UPRIGHT REAR POLE SET FOR AWNINGS

Steel poles made to fit pre-mounted pockets on the sealing system of your Outwell awning to creates pressure and seal against the caravan side.

SEAL BLOCKS FOR CARAVAN AWNINGS

Every caravan is different, which is where Outwell Sealing blocks come in. Use these to firmly attach your awning to your caravan at any irregular points, so your awning stays secure with less chance of drafts.



HEIGHT ADJUSTMENT DISCS FOR CARAVAN AWNINGS

Prepare for uneven ground with Outwell height adjustment disc. These quickly adjust the tube height of your awning, bringing both sides up to the same level. The discs are 4 cm tall and there are four in a pack.



FEATURE OVERVIEW	Roof connection length incl. Side Rain Shield (Roof connection length*)	Attachment height	Suitable for sleeps	Weight	Advanced Air Tube System - One-Go Inflation	Rigid Air System	Steel frame	Twinned Poles Steel Air	Outtex® 6000 Hd Fabric	Outtex® 3000 Hd Fabric	Outtex® 4000 Fabric	Pole Free Seal System	Height Adjustment System	Side Rain Shield	Removable Front	Mesh side panels	360° Curtains	Zip To Side Curtains	Curtain pattern Seaweed	Curtain pattern Sand ripple	Draught skirt	Reflective Webbings	Taped Seams	Tinted windows	Carrybag	Air pump included		Continental Carpets	Fleece Carpet	Footprint	Height Adjustment Discs and Sealing Blocks	Roof Lining	Mesh Panel	Partition Wall
Nordic Shore Collection	'											, , , ,																						
Amber 300SA	360 cm (220 cm*)			37.0 kg	•			•	•			•	•	•	•	•	•		•		•	•	•	•	•	•			•	•	•	•		
Amber 350SA	410 cm (270 cm*)			39.0 kg	•			•	•			•	•	•	•	•	•		•		•	•	•	•	•	•		•	•	•	•	•		
Tide 320SA	380 cm (240 cm*)			27.5 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•	Optional Extras	•	•	•	•	•		•
Tide 380SA	440 cm (300 cm*)			29.0 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•	al E	•	•	•	•	•		•
Tide 440SA	500 cm (360 cm*)			32.5 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•	tion	•	•	•	•	•		•
Tide 500SA	560 cm (420 cm*)	E		34.0 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•	O	•	•	•	•	•		•
Ripple 320SA	380 cm (240 cm*)	255 cm		26.0 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•		•	•	•	•	•		
Ripple 380SA	440 cm (300 cm*)	240 -		27.5 kg	•				•			•	•	•	•	•	•		•		•	•	•	•	•	•		•	•	•	•	•		
Amber / Tide Annexe Air		2		9.0 kg		•			•				•				•		•			•	•	•	•						•			
Amber / Tlde Annexe Sleep			4	10.5 kg			•		•														•		•									
Ripple Annexe Air				8.8 kg		•			•				•				•		•			•	•	•	•						•			
Ripple Annexe Sleep			3	10.2 kg			•		•														•		•									
Sailshade				M 3.0 kg L 3.5 kg							•											•	•				_							
Nordic Coast Collection																																		
Pebble 300A	360 cm (240 cm)	E		23.5 kg		•		•		•		•	•	•	•			•		•	•	•	•	•	•	•		•	•	•	•	•	•	
Pebble 360A	420 cm (300 cm)	255 c		25.0 kg		•		•		•		•	•	•	•			•		•	•	•	•	•	•	•		•	•	•	•	•	•	
Pebble 420A	480 cm (360 cm)	240 - 2		28.5 kg		•		•		•		•	•	•	•			•		•	•	•	•	•	•	•		•	•	•	•	•	•	
Pebble Annexe Sleep		24	3	10.8 kg			•			•												•	•		•									





SMART AIR TOURING COLLECTION

Extending versatile campsite comfort, our inspired innovation, flexible designs, smart colourways plus a full catalogue of unique features ensure the updated Smart Air Touring Collection will maintain its well-deserved popularity with discerning motor campers.



ADVANCED AIR TUBE SYSTEM

OUTWELL ONE-GO

Outwell One-go Inflation Technology is an inspired

INFLATION TECHNOLOGY

innovation that allows campers

to plug a super-efficient pump

into a single inlet valve and

inflate the largest of tents in a

minute - plug in, pump and go!

Our air tube tent support construction innovation has had a huge effect on the camping market. As a key element of our Air System technology, this offers one frame of interconnected tubes with isolation valves that help maintain structural stability.



ISOLATION VALVES

FULL MESH FRONT

Allowing fresh air to flow

through as required, the

insect-proof mesh makes sure

that irritating biting visitors are

Anticipating the unlikely is a key element in product development so our isolation valves ensure frame integrity in the event of the durable, resilient inflatable tube being accidently or maliciously damaged.



TINTED WINDOWS

With a special developed coating that reduces the penetration of harmful UV radiation, the sun's heat and glare are reduced whilst allowing wide views with privacy. Large tinted windows not only add to a tent's style but also deliver practical benefits.



OUTWELL SEALED GROUND SYSTEM

A sealed-in groundsheet is the best way to keep draughts, insects, dirt and water out of a tent and is an early example of Outwell camping solutions. When the groundsheet is an integral part of the tent it ensures all-weather protection from the ground upwards.



OUTWELL LINK ACCESS ZONE SYSTEM WITH

SIDE DOORS Unobstructed full-open rear for guick and easy access to the vehicle, with Outwell Link Access Zone System valance that closes the gap between the vehicle to keep out draughts.





CARPETS

 Fleece Carpet Inlayzzz



FOOTPRINT



Scenic Road 250SA, Scenic Road 250SA Tall, Scenic Road 300SA



OUTTEX° 6000

Specially commissioned by us, this smart, durable flysheet fabric has an effective, reliable hydrostatic head waterproof rating and enjoys subtle embossing with our graphic logo.



Canopy sides roll and toggle

maintaining overhead shade.



ROLL UP CANOPY SIDES

back to provide views while





One-Go









Outwell Fasy Pegging System







Outtex® 6000





OGR System

Aerodynamic Protection 9



Link Access



Outwell Advanced Air





Outwell Sealed Ground System



Zip-up Curtain



Tinted Windows







SCENIC ROAD 200SA


Offering a compact two-metre depth of extra living space for touring campers, the Outwell Scenic Road 200SA drive-away awning has tunnel tent style with a large front canopy for extra shelter, large tinted windows, zip-up curtains and Rain Safe Vent for fresh air.

SPECIFICATIONS


Tubes: Advanced Air Tube System

Poles: Alloy pole 9.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)







OPTIONAL EXTRAS

Fleece Carpet

Footprint



SCENIC ROAD 250SA

Offering a 2.5-metre depth of extra living space for touring campers, the Outwell Scenic Road 250SA drive-away awning is a medium-sized tunnel tent style with a large front canopy for extra shelter, large tinted windows, zip-up curtains and Rain Safe Vent adjustable airflow.

SPECIFICATIONS


Tubes: Advanced Air Tube System


Poles: Alloy pole 9.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner





Model	Bead thickness	Attachment height	Weight	Pack size
Scenic Road 200SA	7 mm	180 - 205 cm	23 kg	40 x 85 cm
Scenic Road 250SA	7 mm	180 - 205 cm	25.5 kg	45 x 85 cm



SCENIC ROAD 250SA TALL

Offering a 2.5-metre depth of extra living space for touring campers, the Outwell Scenic Road 250SA Tall drive-away awning is a medium-sized tunnel tent style with a large front canopy for extra shelter, large tinted windows, zip-up curtains and Rain Safe Vent adjustable airflow.

SPECIFICATIONS


Tubes: Advanced Air Tube System

Poles: Alloy pole 9.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner





SCENIC ROAD 300SA

With Smart Air inflatable technology and ideal for touring, the large, feature-packed Outwell Scenic Road 300SA drive-away awning has tunnel tent style, offering a three-metre depth, with large tinted windows.

SPECIFICATIONS


Tubes: Advanced Air Tube System

Poles: Alloy pole 9.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner



Model	Bead thickness	Attachment height	Weight	Pack size
Scenic Road 250SA Tall	7 mm	240 - 290 cm	26 kg	45 x 85 cm
Scenic Road 300SA	7 mm	180 - 205 cm	27.5 kg	45 x 90 cm





AIR CRUISING COLLECTION

Using reliable Rigid Air System, our Air Cruising Collection of freestanding, drive-away awnings adds flexible shelter quickly, easily and securely to a wide range of motor vehicles. Ideal for touring couples and families, the extra space transforms life on site.



RIGID AIR TECHNOLOGY

The Rigid Air System features individual tubes that are inflated and deflated separately through external valves for easy access.



HIGH PRESSURE PUMP

This high pressure, high capacity, single-stroke manual pump with manometer includes a number of adaptors and is perfect for use with inflatable tents, awnings etc. 60cm high for optimum comfort



OUTTEX° 3000

Specially commissioned by us, this smart, durable flysheet fabric has an effective, reliable hydrostatic head waterproof rating and enjoys subtle embossing with our graphic logo.



FULL REAR OPENING

Unobstructed full-open rear for quick and easy access to the vehicle except Milestone Air.



TOGGLE-UP CURTAINS

Toggle-up curtains behind the tinted windows ensure privacy when required and plenty of natural light when fastened up quickly and securely.



OUTWELL LINK ACCESS ZONE SYSTEM WITH SIDE DOOR

Used when connecting a drive-away awning to a vehicle, the Outwell Link Access Zone System acts as a valance to close the gap between the vehicle and the ground, working with the awning's groundsheet to create clean, draught-free access into the tent. (Not for Milestone Pace Air)



OUTWELL SEALED GROUND SYSTEM

A sealed-in groundsheet is the best way to keep draughts, insects, dirt and water out of a tent and is an early example of Outwell camping solutions. When the groundsheet is an integral part of the tent it ensures all-weather protection from the ground upwards. The zip-out facility adds versatility.



TINTED WINDOWS

With a special developed coating that reduces the penetration of harmful UV radiation, the sun's heat and glare are reduced whilst allowing wide views with privacy. Large tinted windows not only add to a tent's style but also deliver practical benefits



FULL MESH FRONT

Allowing fresh air to flow through as required, the insect-proof mesh makes sure that irritating biting visitors are excluded.

OPTIONAL EXTRAS



CARPETS

Flat Woven CarpetInlayzzz



FOOTPRINT



INNE

To tailor internal space to suit needs, the inner tent can be placed in three positions: left, right or against the vehicle.



Outtex® 3000



Fire Retardant



Taped Seams



OGR System



Aerodynamic Storm Protection 8



Outwell Rigid Air



Link Access Zone System



Outwell Sealed Ground System



t e



Toggle-up Curtains



Dry





Air pum



MILESTONE AIR

A dome-style inflatable drive-away awning, with flexible height attachment, using pre-angled air tubes of our Rigid Air System and our outstanding Outtex® 3000 fabric. Ideal for touring, the large living area with tinted windows and versatile front door can hold a multi-position inner tent.

SPECIFICATIONS

Tubes: Rigid Air System

Poles: Duratec fibreglass 8.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet Footprint

Inner





MILESTONE PRO AIR

A dome-style inflatable drive-away awning, with flexible height attachment, using preangled air tubes of our Rigid Air System and superb Outtex® 3000 fabric. A Rain Safe door offers extra shade and shelter and the large living area with tinted windows and versatile front door can hold a multi-position inner tent.

SPECIFICATIONS

Tubes: Rigid Air System

Poles: Duratec fibreglass 8.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet

Footprint Inner



Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Milestone Air	7 mm	180 - 205 cm	260 cm	15.5 kg	35 x 85 cm
Milestone Pro Air	7 mm	180 - 205 cm	260 cm	16 kg	35 x 85 cm



MILESTONE PACE AIR

The Outwell Milestone Pace Air is a dome-style inflatable driveaway awning using pre-angled air tubes of our Rigid Air System and our outstanding Outtex® 3000 fabric.



Easy connection


SPECIFICATIONS

Tubes: Rigid Air System **Poles:** Duratec fibreglass 8.5 mm

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner









MILESTONE PRÛ AIR TALL

The Outwell Milestone Pro Air Tall dome-style inflatable drive-away awning, with flexible height attachment of 240-290cm, using pre-angled air tubes of our Rigid Air System and superb Outtex® 3000 fabric.

SPECIFICATIONS

Tubes: Rigid Air System


Poles: Duratec fibreglass 8.5 mm, 1 Steel pole 16 mm

(for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner







Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Milestone Pace Air	7 mm	_	_	15 kg	35 x 85 cm
Milestone Pro Air Tall	7 mm	240 - 290 cm	260 cm	16.3 kg	35 x 85 cm

COLLECTION





TOURING COLLECTION

Our Touring Collection of freestanding, drive-away awnings adds flexible shelter quickly, easily and securely to a wide range of motor vehicles. Ideal for touring couples and families, the extra space transforms life on site.



FULL MESH FRONT Allowing fresh air to flow through as required, the insect-proof mesh makes sure that irritating biting visitors are excluded.



OUTWELL LINK ACCESS
ZONE SYSTEM WITH
SIDE DOORS
Unobstructed full-open rear for

Unobstructed full-open rear for quick and easy access to the vehicle, with Outwell Link Access Zone System valance that closes the gap between the vehicle to keep out draughts.



TINTED WINDOWS

With a special developed coating that reduces the penetration of harmful UV radiation, the sun's heat and glare are reduced whilst allowing wide views with privacy. Large tinted windows not only add to a tent's style but also deliver practical benefits.



OPTIONAL EXTRAS

CARPETS

Flat Woven CarpetInlayzzz



OUTTEX® 4000

Specially commissioned by us, this smart, durable flysheet fabric has an effective, reliable hydrostatic head waterproof rating and enjoys subtle embossing with our graphic logo.



OUTWELL SEALED GROUND SYSTEM - SEWN-IN

A sealed-in groundsheet is the best way to keep draughts, insects, dirt and water out of a tent and is an early example of Outwell camping solutions. When the groundsheet is an integral part of the tent it ensures all-weather protection from the ground upwards.



LUMINOUS GUYLINES

As active campers, Outwell designers developed a simple, practical solution to the problem of tripping over unnoticed guylines – a simple solution that others have seized on since.



FOOTPRINT



OUTWELL WIND STABILIZER SYSTEM

The patented Outwell Wind Stabilizer System was a huge and important innovation in tent stability, proven in development and in the field. It creates a direct attachment point between the outer tent, tent pole and peg for reliable security in gale-force, gusting winds.



STEEL AND DURATEC POLES

This combination ensures flexible structural strength whilst optimising weight.



ZIP-UP CURTAINS

With quick and easy zip opening and closure, these curtains give full flexibility of choice between total privacy, letting in some daylight or enjoying the views.



INNE

Scenic Road 250, Scenic Road 250 Tall. Scenic Road 300



Outtex® 4000 Fire Retardant



Taped Seams



OGR System OW



OWS System Force 9



Hybrid Frame



Link Access Zone System



Outwell Sealed Ground System



Zip-up Curtain



Tinted Windows



Dry Zip



Outwell Easy Pegging System



Carrybag





SCENIC ROAD 200

Offering compact, light-filled living space, two metres deep, for touring campers, the Outwell Scenic Road 200 drive-away awning has tunnel tent style with large tinted windows and Rain Safe Vent adjustable airflow.

SPECIFICATIONS

Poles: Roof: Duratec fibreglass 11 mm, Legs: Steel poles 19 mm, Rain-safe door: Alloy pole 9.5 mm, 16/19 mm inside roof poles, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint





SCENIC ROAD 250


Ideal for touring, the Outwell Scenic Road 250 drive-away awning is medium-sized tunnel tent style with a 2.5-metre depth featuring large tinted windows, Rain Safe Vent adjustable airflow, generous living space and a front canopy for extra shelter.

SPECIFICATIONS

Poles: Roof: Duratec fibreglass 11 mm, Legs: Steel poles 19 mm, Rain-safe door: Alloy pole 9.5 mm, 16/19 mm inside roof poles, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner



Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Scenic Road 200	7 mm	180 - 205 cm	300 cm	21.3 kg	42 x 80 cm
Scenic Road 250	7 mm	180 - 205 cm	300 cm	26 kg	45 x 80 cm



SCENIC ROAD 250 TALL


Ideal for touring, the Outwell Scenic Road 250 Tall drive-away awning is medium-sized tunnel tent style with a 2.5-metre depth featuring large tinted windows, Rain Safe Vent adjustable airflow, generous living space and a front canopy for extra shelter.

SPECIFICATIONS

Poles: Roof: Duratec fibreglass 11 mm, Legs: Steel poles 19 mm, Rain-safe door: Alloy pole 9.5 mm, 16/19 mm inside roof poles, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner





SCENIC ROAD 300


With steel and Duratec fibreglass poles for strength and stability and ideal for touring, the feature-packed Outwell Scenic Road 300 drive-away awning is a large three meter deep tunnel tent style with large tinted windows, Rain Safe Vent adjustable airflow, generous living space, two side doorswith mesh backing and a large front canopy.

SPECIFICATIONS

Poles: Roof: Duratec fibreglass 11 mm, Legs: Steel poles 19 mm, Rain-safe door: Alloy pole 9.5 mm, 16/19 mm inside roof poles, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Fleece Carpet Footprint Inner



Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Scenic Road 250 Tall	7 mm	240 - 290 cm	300 cm	26 kg	45 x 80 cm
Scenic Road 300	7 mm	180 - 205 cm	300 cm	30 kg	45 x 85 cm



TOURING CANOPIES


The Touring Canopy range is perfect for stopovers or overnight stays. With attachment heights between 180-330cm (M) and 180-300cm (L and XL) there is ample flexibility to quickly add shelter to a wide variety of cars, caravans and motorhomes. A front steel hoop provides headroom and stability that's enhanced by luminous guylines. L and XL models have side walls with windows and the bottom of the fabric has toggle adjustment to match unit height.

SPECIFICATIONS

Flysheet: Outtex® 3000 (100% polyester taffeta) with taped seams

Poles: Steel poles 19 mm

TOURING CANOPY L & XL




TOURING CANOPY M






Model	Attachment height	Roof connection lenght	Weight	Pack size
Touring Canopy M	180 - 330 cm	265 cm	4.8 kg	15 x 61 cm
Touring Canopy L & XL	L: 180 - 240 cm / XL: 240 x 300 cm	L: 265 cm / XL: 320 cm	L: 6.3kg / XL: 6.5 kg	L: 20 x 62 cm / XL: 20 x 65 cm



The simplicity of nature hides the complexity of life just as our clean Scandinavian designs hide the elaborate paths we travel to ensure form complements function.







CRUISING COLLECTION

Packed with innovative features, our Cruising Collection of practical, freestanding, drive-away awnings adds flexible shelter quickly, easily and securely to a wide range of motor vehicles. Ideal for touring couples and families, the extra space transforms life on site.



FULL MESH FRONT

Allowing fresh air to flow through as required, the insect-proof mesh makes sure that irritating biting visitors are excluded.



OUTTEX° 3000

Specially commissioned by us, this smart, durable flysheet fabric has an effective, reliable hydrostatic head waterproof rating and enjoys subtle embossing with our graphic logo.



DURATEC FIBREGLASS POLES

Exceptional strength and rigidity is achieved by using our own fibreglass-based blend of light, flexible materials.



OUTWELL WIND STABILIZER SYSTEM

The patented Outwell Wind Stabilizer System was a huge and important innovation in tent stability, proven in development and in the field. It creates a direct attachment point between the outer tent, tent pole and peg for reliable security in gale-force, gusting winds.



OUTWELL LINK ACCESS ZONE SYSTEM WITH SIDE DOOR

Used when connecting a drive-away awning to a vehicle, the Outwell Link Access Zone System acts as a valance to close the gap between the vehicle and the ground, working with the awning's groundsheet to create clean, draught-free access. (Not for Milestone Pace)




OUTWELL SEALED GROUND SYSTEM

A sealed-in groundsheet is the best way to keep draughts, insects, dirt and water out of a tent and is an early example of Outwell camping solutions. When the groundsheet is an integral part of the tent it ensures all-weather protection from the ground upwards.



TINTED WINDOWS

With a special developed coating that reduces the penetration of harmful UV radiation, the sun's heat and glare are reduced whilst allowing wide views with privacy. Large tinted windows not only add to a tent's style but also deliver practical benefits.



LUMINOUS GUYLINES

As active campers, Outwell designers developed a simple, practical solution to the problem of tripping over unnoticed guylines – a simple solution that others have seized on since.



CARRYBAG

Bag with straps for carrying the packed tent short distances.

OPTIONAL EXTRAS



CARPETS

Flat Woven CarpetInlayzzz



FOOTPRINT



INNEF

To tailor internal space to suit needs, the inner tent can be placed in three positions: left, right or against the vehicle.



Outtex® 3000

Fire Retardant

Taped Seams



OGR System



DWS System



Link Access Zone System



Duratec Fibreglass



Outwell Sealed Ground System



Toggle-up



Tinted Wi



Dry 2



Carrybag





MILESTONE


The Outwell Milestone is a dome-style drive-away awning, with flexible height attachment, using sturdy pre-angled Duratec fibreglass poles with Wind Stabilizer System and outstanding Outtex® 3000 fabric.

SPECIFICATIONS

Poles: Duratec fibreglass 12.7 mm, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner





MILESTONE PRO


The Outwell Milestone Pro is a dome-style drive-away awning, with flexible height attachment, using pre-angled Duratec fibreglass poles with Wind Stabilizer System and superb Outtex® 3000 fabric.

SPECIFICATIONS

Poles: Duratec fibreglass 12.7 mm / 8.5 mm, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner





Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Milestone	7 mm	180 - 205 cm	260 cm	14.5 kg	30 x 80 cm
Milestone Pro	7 mm	180 - 205 cm	260 cm	15.5 kg	30 x 80 cm



MILESTONE PRO TALL

The Outwell Milestone Pro Tall dome-style drive-away awning, with flexible height attachment of 240-290cm, uses pre-angled Duratec fibreglass poles with our Wind Stabilizer System and Outtex® 3000 fabric.


SPECIFICATIONS

Poles: Duratec fibreglass 12.7 mm / 8.5 mm, 1 Steel pole 16 mm (for Link Access Zone)

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner









The Outwell Milestone Pace is a dome-style drive-away awning using pre-angled Duratec fibreglass poles with our Wind Stabilizer System and our superb Outtex® 3000 fabric. Freestanding rather than attaching to vehicles, with generous Rain Safe doors for access and shelter. Optional inner tent offers privacy in the large living area with tinted windows.

SPECIFICATIONS

Poles: Duratec fibreglass 12.7 mm / 8.5 mm

OPTIONAL EXTRAS

Flat Woven Carpet Footprint Inner



Model	Bead thickness	Attachment height	Roof connection lenght	Weight	Pack size
Milestone Pro Tall	7 mm	240 - 290 cm	260 cm	15.8 kg	30 x 80 cm
Milestone Pace	-	-	-	13.2 kg	30 x 70 cm





Connect with hook and loop band Hook and loop tabs allow an awning to be quickly and simply attached to convenient points on the vehicle, like roof bars



Connect with Suction Cup Highly efficient suction cups quickly and easily clamp to the vehicle and act as sturdy, secure attachment points.



Connect with guyline Awnings can be connected using guylines thrown over the vehicle roof and attached to convenient points or pegged out.

HOW TO **CONNECT A** DRIVE-AWAY **AWNING**

Outwell® drive-away awnings can be connected to the majority of motorhomes, MPVs and vans in numerous ways for ease of use and ultimate convenience.



Connect to rail The beaded edge of an awning can be simply inserted and fed through an existing C-rail if intending to leave the vehicle with the awning during the stay.



Connect with Outwell Magnetic Band Connecter A magnetised strip in the Magnetic Band Connector attaches to the unit and creates a channel in which to slide the awning or Outwell Touring Connect Set.



Connect with Outwell Touring Connect Set

Comprises double edge beaded tape and Figure of 8 strip to enable guick and convenient detachment of the vehicle when leaving the awning on site. Also for use with a gutter rail.









Wind Gust Tent Pump 12V

ACCESSORIES







ERGO FLEXI CHAIRS

The luxurious Ergo Flexi Comfort Collection of padded cushion chairs, loungers, bed and a footrest benefit from a quick-drying foam padding and Textiline mesh fabric.

Updated designs with improved armrests are joined by the new Galana four-position lounger and the Kiana dining chair with supportive back. All Teton, Kenai, Grand Canyon, Acadia and Samoa have an adjustable, integral headrest and feature a quick drying material to prevent the padding from soaking up water if left out in the rain.













Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size
Teton	64 x 75 x 122/136 cm	47 cm	150 kg	5 kg	64 x 15 x 102 cm
Grand Canyon	74 x 75 x 122/136 cm	45 cm	150 kg	6 kg	74 x 11 x 100 cm
Kenai	64 x 75 x 110/124 cm	45 cm	150 kg	5 kg	64 x 11 x 88 cm
Zion Footrest	49 x 83 x 42 cm	=	30 kg	1.2 kg	49 x 83 x 6 cm

GALANA















FEATURES

We have redesigned the profile of our armrests and added an anti-slip finish to enhance forearm comfort and provide easier adjustment of the chair's back angle by improving grip through positive hand location offered by the ergonomic shape.







NARROW GRIP Narrow grip for easy back adjustment

HAND GRIPProfiled grip for easy adjustment



ANTI-SLIP
Anti-slip pattern for forearm comfort

Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size
Galana	61 x 85 x 90 cm	40 cm	120 kg	6.1 kg	61 x 16 x 122 cm
Acadia	68 x 85 x 100/114 cm	50 cm	150 kg	8.4 kg	68 x 21 x 100 cm
Kiana	46 x 44 x 83 cm	45 cm	100 kg	3.1 kg	46 x 15 x 96 cm
Samoa	70 x 200/214 x 49 cm	50 cm	120 kg	7 kg	70 x 81 x 22 cm





SARDIS LAKE

INNOVATIVE FURNITURE DESIGN

The Outwell® Furniture Collection delivers Scandinavian heritage, design and quality, matching smart colourways and materials with superb style.

Suitable for indoor and outdoor use, the new **Outwell**Inflatable Furniture Collection offers home-from-home comfort in a variety of designs. The new **Outwell Relax**Range combines steel frames with durable, well-padded, two-tone fabric in two styles of chair and a cosy sofa for two. Perfect for relaxing on campsites or at home!



GRENADA LAKE




Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size
Grenada Lake	76 x 57 x 98 cm	48 cm	120 kg	7.4 kg	60 x 18 x 75 cm
Seneca Lake	85 x 70 x 87 cm	44 cm	120 kg	3.8 kg	15 x 20 x 103 cm
Sardis Lake	125 x 57 x 95 cm	50 cm	2 x 120 kg	8.1 kg	30 x 30 x 97 cm



LAKE HURON



LAKE SUPERIOR



Model	Size (WxDxH)	Seat Height	Weight	Pack size
Lake Erie	75 x 56 x 40 cm	37 cm	2 kg	46 x 37 x 19 cm
Lake Huron	100 x 83 x 74 cm	37 cm	6.6 kg	41 x 39 x 24 cm
Lake Superior	170 x 83 x 74 cm	37 cm	10 kg	51 x 20 x 42 cm



CHAIRS & TABLES

Our designers have been busy combining inspired concepts and innovation with practical styles and materials to develop outstanding furniture with a clear focus on comfort and reliability.

Our new **Weston Hills chair** has an ingenious design that allows the removable cover, offered in three colour combinations, to be rolled up for secure use as a neck or lumber support.

Our **Bamboo Tables** are durable, smart and ecofriendly, and offers innovative, lightweight camping tables in space-saving designs.

See more at outwell.com



WESTON HILLS

Model	Size (WxDxH)	Seat Height	Max load	Weight	Pack size
Weston Hills	60 x 85 x 108 cm	45 cm	125 kg	5.8 kg	21 x 17 x 109 cm
Kamloops	72 x 100 x 70 cm	-	80 kg	8.5 kg	37 x 100 x 8 cm
Kimberley	65 x 65 x 40 cm	-	30 kg	3.7 kg	45 x 65 x 8 cm



Model	Size (WxDxH)	Max load	Weight	Pack size
Cody M	50 x 65 x 44/53/65 cm	30 kg	4.4 kg	14 x 65 x 11 cm
Cody L	65 x 100 x 44/53/65 cm	30 kg	7.3 kg	17 x 100 x 11 cm
Custer L	70 x 120 x 49/58/70 cm	80 kg	10 kg	71 x 62 x 10 cm
Custer XL	70 x 150 x 49/58/70 cm	80 kg	10.8 kg	71 x 77 x 10 cm

AT OUTWELL.COM



DENMARK, HEADQUARTERS

OASE OUTDOORS · KORNVEJ 9 · DK-7323 GIVE

